

FLAI BELLS SPECIFICATIONS

PART #	INSIDE CIRCUMFERENCE			THICKNESS			W I D T H		
	F	D	M(mm)	F	D	M(mm)	F	D	M(mm)
1407-234	1-7/8	1.875	47.625	1/32	0.027	0.686	3/16	0.188	4.775
1414	1-15/16	1.947	49.453	1/32	0.031	0.787	1/4	0.250	6.350
1407-525	2	2.000	50.800	1/32	0.032	0.813	3/16	0.190	4.826
1415	2	2.000	50.800	1/16	0.062	1.575	1/4	0.250	6.350
1407-226	4-3/32	4.106	104.292	1/16	0.068	1.727	1/4	0.250	6.250
1407-526	4-19/64	4.300	109.220	3/64	0.046	1.168	5/32	0.156	3.962
1407-500	4-51/64	4.800	121.920	3/64	0.043	1.092	7/32	0.210	5.334
1407-250	5	5.000	127.000	1/32	0.030	0.762	1/4	0.250	6.350
1407-224	5-11/16	5.683	144.348	1/32	0.031	0.787	15/64	0.234	5.944
1407-527	5-45/64	5.700	144.780	1/32	0.031	0.787	5/32	0.150	3.810
1407-60	5-29/32	5.903	149.936	3/64	0.048	1.219	1/8	0.125	3.175
1407-86	6-5/32	6.158	156.413	1/32	0.035	0.889	11/64	0.166	4.216
1407-190	6-1/4	6.245	158.623	1/32	0.031	0.787	3/16	0.188	4.775
1407-61	6-37/64	6.527	166.929	1/32	0.027	0.686	1/8	0.125	3.175
1407-249	6-45/64	6.700	170.180	1/32	0.035	0.889	7/32	0.212	5.385
1407-534	6-45/64	6.700	170.180	1/32	0.035	0.889	9/64	0.140	3.556
1407-501	6-29/32	6.900	175.260	1/32	0.030	0.762	5/16	0.315	8.001
1407-542	7	7.000	177.800	1/32	0.035	0.889	1/8	0.119	3.023
1407-239	7	7.000	177.800	1/32	0.035	0.889	5/16	0.312	7.924
1407-62	7-3/8	7.375	187.325	1/32	0.020	0.508	1/8	0.120	3.048
1407-195	7-7/16	7.432	188.773	1/32	0.031	0.787	1/4	0.250	6.350
1407-543	7-39/64	7.600	193.040	1/32	0.031	0.787	5/32	0.150	3.810
1407-502	7-45/64	7.700	195.580	1/32	0.035	0.889	19/64	0.300	7.620
1407-191	7-3/4	7.743	196.672	1/32	0.031	0.787	3/16	0.188	4.775
1407-63	7-29/32	7.916	201.066	1/32	0.031	0.787	1/8	0.125	3.175
1407-207	8-1/4	8.255	209.677	1/16	0.065	1.651	17/64	0.262	6.655
1416	8-33/64	8.522	216.459	1/16	0.062	1.575	3/16	0.187	4.750
1407-64	8-23/32	8.720	221.488	1/32	0.031	0.787	1/8	0.125	3.175
1407-544	8-51/64	8.800	223.520	1/32	0.034	0.864	3/16	0.187	4.750
1407-503	8-51/64	8.800	223.520	3/32	0.101	2.565	11/32	0.340	8.636
1407-76	8-57/64	8.896	225.958	3/64	0.040	1.016	15/64	0.230	5.842
1407-504	8-29/32	8.900	226.060	3/64	0.041	1.041	15/64	0.230	5.842
1407-517	9	9.000	228.600	1/32	0.031	0.787	7/32	0.210	5.334
1407-545	9-3/32	9.100	231.540	1/32	0.033	0.838	9/64	0.140	3.556
1407-88	9-15/64	9.235	234.569	1/32	0.035	0.889	7/32	0.218	5.537
1407-196	9-23/64	9.367	237.922	1/32	0.031	0.787	1/4	0.250	6.350
1407-505	9-13/32	9.400	238.760	1/32	0.030	0.762	15/64	0.235	5.969
1407-65	9-19/32	9.596	243.738	1/32	0.031	0.787	1/8	0.130	3.302
1407-241	9-5/8	9.625	244.475	1/32	0.030	0.762	9/32	0.281	7.142
1407-246	9-21/32	9.656	245.262	3/64	0.046	1.168	9/32	0.281	7.142
1407-70	9-11/16	9.693	246.202	1/32	0.037	0.94	3/16	0.187	4.750
1407-546	9-45/64	9.700	246.380	1/32	0.032	0.813	1/8	0.120	3.048
1407-248	9-3/4	9.750	247.650	1/32	0.020	0.508	15/64	0.235	5.968
1407-77	9-49/64	9.772	248.209	1/32	0.036	0.914	1/4	0.250	6.350
1407-66	9-51/64	9.794	248.768	1/32	0.034	0.864	9/64	0.145	3.683
1407-547	10	10.000	254.000	1/32	0.035	0.889	7/64	0.115	2.921
1407-247	10	10.000	254.000	3/64	0.046	1.168	1/4	0.250	6.350
1407-528	10-3/32	10.100	256.540	1/32	0.028	0.711	9/32	0.275	6.985
1407-236	10-1/8	10.125	257.175	1/64	0.021	0.533	7/32	0.219	5.563
1407-548	10-13/64	10.200	259.080	1/32	0.031	0.787	5/32	0.157	3.988
1407-518	10-13/64	10.200	259.080	1/32	0.031	0.787	7/32	0.210	5.334
1407-506	10-19/64	10.300	261.520	3/64	0.046	1.168	13/32	0.400	10.160
1407-78	10-11/32	10.343	262.712	1/32	0.034	0.864	7/32	0.212	5.385
1407-529	10-13/32	10.400	264.160	3/64	0.046	1.168	19/64	0.300	7.620
1407-186	10-31/64	10.491	266.471	1/32	0.031	0.787	5/32	0.156	3.962
1407-71	10-31/64	10.494	266.548	1/32	0.035	0.889	13/64	0.200	5.080
1407-549	10-45/64	10.700	271.780	1/32	0.031	0.787	5/32	0.155	3.937
1407-519	10-45/64	10.700	271.780	1/32	0.031	0.787	7/32	0.210	5.334
1407-72	10-15/16	10.993	279.220	1/32	0.036	0.914	3/16	0.187	4.750
1407-520	11	11.000	279.700	1/32	0.031	0.787	3/16	0.187	4.750
1407-188	11-11/64	11.178	283.921	1/32	0.031	0.787	5/32	0.116	3.962
1407-522	11-13/64	11.200	284.480	1/64	0.022	0.559	15/64	0.235	5.969
1407-550	11-13/64	11.200	284.480	1/32	0.032	0.813	1/8	0.120	3.048
1407-187	11-15/64	11.238	285.445	1/32	0.031	0.787	5/32	0.156	3.962
1407-238	11-1/4	11.250	285.750	1/64	0.017	0.431	3/16	0.187	4.762
1407-79	11-19/64	11.295	286.893	1/32	0.034	0.864	1/4	0.250	6.350
1407-551	11-19/64	11.300	287.020	1/32	0.032	0.813	5/32	0.163	4.140
1407-240	11-13/32	11.406	289.712	3/64	0.054	1.375	3/8	0.375	9.525
1407-242	11-31/64	11.484	291.693	1/64	0.021	0.533	15/64	0.234	5.943
1407-73	11-31/64	11.492	291.897	1/32	0.035	0.889	3/16	0.187	4.750
1407-80	11-31/64	11.492	291.897	1/32	0.031	0.787	7/32	0.208	5.283
1407-507	11-1/2	11.500	292.100	1/32	0.038	0.965	25/64	0.395	10.033
1407-237	11-19/32	11.594	294.488	3/64	0.041	1.041	5/16	0.312	7.925
1407-521	11-45/64	11.700	297.180	1/32	0.031	0.787	7/32	0.210	5.334
1407-552	11-45/64	11.700	297.180	3/64	0.040	1.016	5/32	0.150	3.810
1407-33	11-51/64	11.794	299.568	1/32	0.037	0.94	7/32	0.210	5.334
1407-67	11-27/32	11.841	300.761	1/32	0.035	0.889	7/64	0.110	2.794
1407-232	12	12.000	304.800	1/32	0.028	0.711	5/16	0.313	7.950

FLAT BELLS SPECIFICATIONS

RT #	INSIDE CIRCUMFERENCE			THICKNESS			W I D T H		
	F	D	M(mm)	F	D	M(mm)	F	D	M(mm)
-218	12	12.000	304.800	1/32	0.032	0.813	13/64	0.198	5.029
-243	12	12.000	304.800	1/32	0.025	0.635	17/64	0.265	6.731
-251	12	12.000	304.800	1/32	0.039	0.991	25/64	0.394	10.007
-40	12-1/8	12.125	307.975	1/32	0.034	0.864	1/8	0.128	3.251
-200	12-19/64	12.293	312.242	3/64	0.053	1.346	15/64	0.225	5.715
-74	12-31/64	12.491	317.271	1/16	0.058	1.473	7/32	0.210	5.334
-530	12-1/2	12.500	317.500	3/64	0.040	1.016	15/64	0.227	5.766
-508	12-1/2	12.500	317.500	1/16	0.056	1.422	9/32	0.283	7.188
-68	12-17/32	12.538	318.465	1/16	0.056	1.422	5/32	0.150	3.810
-229	12-11/16	12.688	322.275	1/64	0.022	0.599	21/64	0.318	8.077
-228	12-11/16	12.688	322.275	1/64	0.024	0.61	5/16	0.320	8.128
-538	12-45/64	12.700	322.580	1/32	0.030	0.762	15/64	0.235	5.969
-230	12-3/4	12.750	323.850	1/64	0.024	0.61	5/16	0.320	8.128
-30	12-51/64	12.792	324.917	1/32	0.035	0.889	7/32	0.210	5.334
-252	13-13/64	13.200	335.280	1/32	0.020	0.508	15/64	0.235	5.969
-97	13-1/4	13.241	336.321	1/32	0.035	0.889	5/16	0.314	7.976
-12	13-3/8	13.370	339.598	3/64	0.055	1.397	9/32	0.275	6.985
-231	13-1/2	13.500	342.900	1/32	0.033	0.838	13/64	0.196	4.978
-523	13-39/64	13.600	345.440	1/64	0.022	0.559	13/64	0.195	4.953
-75	13-51/64	13.794	350.368	1/32	0.031	0.787	13/64	0.196	4.978
-69	14-5/64	14.080	357.632	1/32	0.036	0.914	5/32	0.156	3.962
-82	14-3/32	14.089	357.861	1/16	0.069	1.753	17/64	0.261	6.629
-85	14-19/64	14.293	363.042	1/32	0.035	0.889	17/64	0.265	6.731
-253	14-1/2	14.500	368.300	3/64	0.050	1.27	11/32	0.350	8.890
-509	14-1/2	14.500	368.300	1/16	0.059	1.499	35/64	0.550	13.970
-535	14-1/2	14.500	368.300	1/16	0.059	1.499	15/32	0.470	11.938
-510	14-39/64	14.600	370.840	1/32	0.038	0.965	17/64	0.270	6.858
-539	14-45/64	14.700	373.380	3/64	0.040	1.016	13/64	0.200	5.080
-83	14-55/64	14.858	377.393	3/64	0.047	1.194	1/4	0.250	6.350
-254	15	15.000	381.000	3/64	0.045	1.143	27/64	0.420	10.688
-219	15-3/16	15.188	385.775	1/32	0.024	0.61	15/64	0.234	5.944
-511	15-13/64	15.200	386.080	3/64	0.050	1.27	9/32	0.274	6.960
-512	15-19/64	15.300	388.620	3/64	0.040	1.016	25/64	0.395	10.033
-89	15-7/16	15.433	391.998	3/64	0.041	1.041	13/64	0.191	4.851
-84	15-33/64	15.829	402.057	1/16	0.057	1.448	15/64	0.237	6.020
-536	15-29/32	15.900	403.860	3/64	0.055	1.397	13/32	0.400	10.160
-531	15-29/32	15.900	403.860	1/16	0.058	1.437	21/64	0.330	8.382
-03	15-63/64	15.989	406.121	1/16	0.063	1.6	15/32	0.469	11.913
-98	16-45/64	16.705	424.307	1/32	0.038	0.965	21/64	0.327	8.306
-213	16-63/64	16.991	431.571	1/32	0.031	0.787	3/16	0.188	4.775
-532	17	17.000	431.800	3/64	0.045	1.143	5/16	0.315	8.001
-533	17	17.000	431.800	1/16	0.070	1.778	9/32	0.275	6.985
-198	17-27/64	17.421	442.493	1/32	0.031	0.787	5/16	0.313	7.950
-244	17-5/8	17.625	447.675	1/32	0.031	0.784	17/64	0.265	6.731
-540	17-45/64	17.700	449.580	3/64	0.045	1.143	1/8	0.120	3.048
-524	18-7/64	18.100	459.740	1/64	0.020	0.508	5/16	0.312	7.925
-513	18-7/64	18.100	459.740	1/32	0.030	0.762	5/16	0.312	7.925
-217	18-1/2	18.500	469.900	1/64	0.019	0.483	5/16	0.318	8.077
-216	18-3/4	18.750	476.250	3/64	0.048	1.219	5/16	0.316	8.026
-220	19-7/16	19.437	493.700	1/32	0.031	0.787	5/32	0.156	3.962
-215	19-9/16	19.563	496.900	1/32	0.035	0.889	5/16	0.315	8.001
-514	19-39/64	19.600	497.840	1/32	0.027	0.686	11/32	0.350	8.890
-537	19-39/64	19.600	497.840	1/32	0.032	0.813	5/16	0.310	7.874
-245	20-3/8	20.375	517.525	1/32	0.035	0.889	5/16	0.312	7.925
-515	20-1/2	20.500	520.700	3/64	0.046	1.168	13/32	0.400	10.160
-221	20-3/4	20.749	527.025	1/32	0.031	0.787	1/4	0.250	6.350
-233	21-3/16	21.188	538.175	1/32	0.031	0.792	5/16	0.313	7.950
-235	21-9/16	21.563	547.700	3/64	0.044	1.118	3/16	0.188	4.775
-516	21-39/64	21.600	548.640	3/64	0.050	1.270	29/64	0.450	11.430
-212	22-27/64	22.423	569.544	1/32	0.031	0.787	3/16	0.188	4.775
-192	23-17/64	23.227	589.966	1/32	0.031	0.787	3/16	0.188	4.775
-541	23-39/64	23.600	599.440	1/32	0.030	0.762	7/32	0.210	5.334
-553	23-39/64	23.600	599.440	1/32	0.033	0.838	3/16	0.185	4.699
-222	23-15/16	23.936	607.974	1/32	0.031	0.787	3/16	0.188	4.775
-199	24-63/64	24.976	634.390	1/32	0.031	0.787	7/32	0.219	5.563
-554	25	25.000	635.500	1/32	0.035	0.889	7/32	0.210	5.334
-193	29-9/16	29.563	750.900	1/32	0.035	0.889	3/16	0.186	4.724
-194	33-3/16	33.188	842.975	1/32	0.036	0.914	3/16	0.187	4.750
-41	34-5/16	35.313	871.550	1/32	0.038	0.965	3/16	0.190	4.826
-197	37-9/16	37.563	954.100	1/32	0.036	0.914	5/16	0.314	7.976