

QUAKE BELLS SPECIFICATIONS

PART #	INSIDE CIRCUMFERENCE			THICKNESS		
	F	D	M(mm)	F	D	M(mm)
1407-463	2 3/16	2.188	55.575	1/16	.067	1.702
1425-95	2 19/64	2.300	58.420	7/64	.108	2.743
1425-25	2 5/16	2.311	58.699	3/64	.040	1.016
1407-460	2 5/16	2.311	58.699	1/16	.065	1.651
1407-34	2 3/8	2.375	60.325	3/64	.042	1.067
1425-02	2 1/2	2.499	63.475	1/32	.037	0.940
1425-92	2 1/2	2.500	63.500	3/64	.055	1.379
1425-70	2 1/2	2.500	63.500	5/64	.080	2.032
1425-56	2 39/64	2.600	66.040	3/64	.041	1.041
1407-43	2 25/32	2.788	70.815	5/64	.075	1.905
1407-458	3.0	3.000	76.200	5/64	.079	2.006
1407-479	3.0	3.000	76.200	3/32	.100	2.540
1407-150	3 1/32	3.027	76.889	1/32	.031	0.787
1407157	3 1/6	3.062	77.775	3/64	.047	1.194
1407-438	3 1/8	3.125	79.375	5/64	.079	2.007
1407-449	3 5/32	3.156	80.162	1/16	.066	1.676
1425-86	3 13/64	3.200	81.280	1/32	.035	0.889
1425-71	3 13/64	3.200	81.280	5/64	.083	2.108
1407-477	3 5/16	3.312	84.125	5/64	.078	1.984
1407-158	3 11/32	3.314	84.861	3/64	.047	1.194
1407-464	3 7/16	3.437	87.000	5/64	.072	1.829
1407-480	3 1/2	3.500	88.900	1/32	.036	0.914
1407-44	3 33/64	3.529	89.637	3/64	.047	1.194
1425-72	3 39/64	3.600	91.440	3/32	.090	2.286
1407.35	3 51/64	3.799	96.495	1/16	.060	1.524
1425-26	3 7/8	3.875	98.425	3/64	.046	1.168
1407-472	4.0	4.000	101.600	3/64	.047	1.191
1425-61	4.0	4.000	101.600	1/16	.068	1.727
1407-473	4 1/16	4.062	103.175	3/64	.043	1.092
1407-444	4 1/16	4.063	103.188	3/64	.052	1.321
1407-461	4 1/16	4.063	103.188	3/64	.040	1.016
1425-50	4 13/64	4.200	106.680	1/32	.035	0.889
1425-62	4 13/64	4.200	106.680	5/64	.079	2.007
1407-475	4 1/4	4.250	107.950	7/64	.109	2.779
1425-08	4 11/32	4.343	110.312	3/64	.047	1.194
1407-440	4 7/16	4.438	112.725	5/64	.075	1.905
1425-87	4 39/64	4.600	116.840	1/32	.033	0.838
1425-81	4 39/64	4.600	116.840	7/64	.112	2.845
1425-22	4 21/32	4.653	118.186	3/64	.047	1.194
1407-151	4 3/4	4.745	120.523	1/32	.031	0.787
1407-452	4 27/32	4.844	132.030	1/16	.066	1.676
1407-478	4 7/8	4.875	123.825	3/64	.047	1.188
1407-467	4 7/8	4.875	123.825	1/16	.063	1.588
1425-06	5 1/16	5.062	128.575	3/64	.040	1.016
1425-57	5 3/32	5.100	129.540	3/64	.048	1.219
1425-73	5 3/32	5.100	129.540	3/64	.078	1.981
1425-88	5 13/64	5.200	132.080	1/32	.035	0.889
1407-446	5 3/8	5.375	136.525	5/64	.079	2.007
1407-451	5 13/32	5.406	137.312	3/64	.048	1.219
1407-45	5 7/16	5.437	138.125	1/32	.038	0.793
1407-456	5 7/16	5.438	138.125	1/16	.058	1.473
1425-30	5 19/32	5.594	142.088	3/64	.046	1.168
1407-152	5 5/8	5.620	142.748	1/32	.031	0.787
1407-159	5 5/8	5.621	142.773	3/64	.047	1.194
1425-63	5 45/64	5.700	144.780	1/16	.060	1.524
1407-454	5 7/8	5.875	149.225	5/64	.083	2.108
1425-74	6.0	6.000	152.400	3/32	.100	2.540
1407-214	6 3/32	6.088	154.635	3/64	.047	1.194
1407-432	6 1/8	6.125	155.575	5/64	.079	2.007
1407-46	6 1/4	6.245	158.623	1/16	.058	1.473
1407-153	6 9/32	6.274	159.360	1/32	.031	0.787
1407-481	6 1/8	6.300	160.020	7/64	.110	2.794
1407-462	6 1/4	6.531	165.887	3/64	.041	1.041
1407-160	6 9/32	6.619	168.123	3/64	.047	1.194
1425-64	6 45/64	6.700	170.180	5/64	.074	1.880
1425-75	6 29/32	6.900	175.260	5/64	.074	1.880
1425-51	7.0	7.000	177.800	1/32	.031	0.787
1407-460	2 5/16	7.000	177.800	3/32	.100	2.540
1407-47	7 5/64	7.078	179.781	3/64	.047	1.194
1407-465	7 3/32	7.094	180.188	3/64	.047	1.191
1407-474	7 1/8	7.125	180.975	1/16	.063	1.588
1410-64	7 9/64	7.134	181.204	1/16	.069	1.753
1407-457	7 13/32	7.406	188.112	3/64	.056	1.422
1407-154	7 7/16	7.432	188.773	1/32	.031	0.787
1407-161	7 7/16	7.432	188.773	3/64	.047	1.194
1407-167	7 7/16	7.432	188.773	3/32	.094	2.388
1407-482	7 1/2	7.500	190.500	1/32	.038	0.965
1425-82	7 1/2	7.500	190.500	1/8	.125	3.175
1407-450	7 9/16	7.563	192.100	3/64	.054	1.375

PART #	INSIDE CIRCUMFERENCE			THICKNESS		
	F	D	M(mm)	F	D	M(mm)
1407-29	7 51/64	7.793	197.942	1/16	.072	1.829
1407-448	7 3/4	7.750	196.850	3/64	.046	1.168
1425-52	7 51/64	7.800	198.120	1/32	.031	0.787
1407-162	7 55/64	7.869	199.873	3/64	.047	1.194
1425-10	8.0	7.994	203.048	3/64	.045	1.143
1425-53	8.0	8.000	203.200	1/32	.031	0.787
1425-65	8 3/32	8.100	205.740	5/64	.075	1.905
1425-66	8 13/64	8.200	208.280	1/16	.062	1.575
1407-168	8 5/16	8.305	210.947	7/64	.109	2.769
1407-155	8 21/64	8.337	211.760	1/32	.031	0.787
1407-163	8 3/8	8.368	212.547	3/64	.047	1.194
1407-468	8 1/2	8.500	215.900	5/64	.078	1.986
1407-431	8 5/8	8.625	219.075	3/64	.040	1.016
1407-453	8 5/8	8.625	219.075	1/16	.062	1.575
1407-469	8 5/8	8.625	219.075	5/64	.078	1.986
1425-07	8 41/64	8.644	219.558	3/64	.046	1.168
1407-48	8 3/4	8.745	222.123	1/16	.060	1.524
1407-156	8 53/64	8.836	224.434	1/32	.031	0.787
1407-466	8 7/8	8.875	225.425	5/64	.078	1.986
1407-42	9 3/32	9.090	230.886	3/64	.055	1.397
1425-54	9 13/64	9.200	233.680	1/32	.035	0.889
1425-58	9 13/64	9.200	233.680	3/64	.048	1.219
1425-93	9 13/64	9.200	233.680	5/64	.075	1.905
1407-172	9 23/64	9.367	237.922	9/64	.141	3.581
1425-83	9 13/32	9.400	238.760	9/64	.145	3.683
1425-77	9 1/2	9.500	241.300	5/64	.084	2.134
1407-36	9 33/64	9.524	241.910	3/64	.047	1.194
1407-445	9 9/16	9.563	242.900	1/16	.065	1.651
1407-483	9 3/4	9.750	247.650	3/32	.095	2.413
1407-437	9 13/16	9.813	249.250	1/16	.062	1.575
1425-12	10.0	9.995	253.873	3/64	.055	1.397
1425.67	10.0	10.000	254.000	1/16	.069	1.753
1425-84	10.0	10.000	254.000	9/64	.141	3.581
1407-164	10 23/64	10.365	263.271	3/64	.047	1.194
1425-78	10 1/2	10.500	266.700	3/32	.093	2.362
1407-443	10 11/16	10.688	271.475	5/64	.079	2.007
1407-49	10 49/64	10.773	273.634	3/64	.047	1.194
1425-59	11 3/32	11.100	281.940	1/16	.057	1.448
1407-169	11 11/64	11.178	283.921	1/8	.125	3.175
1407-27	11 3/16	11.194	284.328	1/16	.060	1.524
1425-35	11 11/16	11.687	296.850	1/16	.062	1.575
1425-55	11 45/64	11.700	297.180	3/64	.039	0.991
1407-471	11 3/4	11.750	298.450	3/64	.052	1.321
1407-442	11 13/16	11.813	300.038	3/64	.045	1.143
1407-165	11 13/16	11.803	299.796	1/16	.063	1.600
1425-85	12 3/32	12.100	307.340	7/64	.108	2.743
1407-201	12 7/64	12.114	307.696	1/16	.062	1.575
1407-455	12 1/8	12.125	307.975	7/64	.104	2.642
1407-439	12 7/16	12.438	315.925	3/32	.092	2.337
1425-79	12 1/2	12.500	317.500	5/64	.078	1.981
1425-20	12 9/16	12.563	319.100	1/16	.062	1.575
1407-434	12 3/4	12.750	323.850	1/32	.038	0.965
1410-61	12 51/64	12.796	325.018	5/64	.078	1.981
1407-470	12 7/8	12.875	327.025	3/64	.046	1.191
1425-68	13 13/64	13.200	335.028	5/64	.077	1.956
1407-170	13 15/64	13.238	336.245	1/8	.125	3.175
1407-227	13 1/2	13.500	342.900	3/64	.048	1.219
1425-60	13 39/64	13.600	345.440	3/64	.045	1.143
1407-441	13 5/8	13.625	346.075	5/64	.079	2.007
1425-21	13 43/64	13.678	347.421	1/16	.063	1.600
1407-476	14.0	14.000	355.600	3/32	.094	2.381
1425-80	14.0	14.000	255.600	3/32	.099	2.515
1410-54	14 3/32	14.092	357.937	1/16	.065	1.651
1407-171	14 15/64	14.237	361.620	1/8	.125	3.175
1407-447	13 29/32	13.906	353.212	3/64	.040	1.016
1425-36	14 1/2	14.500	368.300	1/16	.062	1.575
1407-436	14 1/2	14.500	368.300	3/32	.088	2.235
1425-89	14 45/64	14.700	373.380	1/32	.035	0.889
1407-166	14 63/64	14.987	380.670	1/16	.063	1.600
1425-91	15.0	15.000	381.000	3/64	.048	1.219
1425-90	15 13/64	15.200	386.080	1/32	.035	0.889
1407-433	15 5/8	15.625	396.875	3/32	.095	2.413
1407-233	15 53/64	15.813	401.650	3/32	.094	2.388
1425-94	15 29/32	15.900	403.860	1/16	.060	1.524
1407-459	16.0	16.000	406.400	3/64	.048	1.219
1425-16	16 27/64	16.428	417.217	5/64	.074	1.880
1407-484						